LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

N/A = Not Applicable

1. Name/Desc	ription of cell	
2. Manufactur	er of cell	
Name		
Address		
Phone		
Email		
Website		
2a Manufactur	er of the equipment (if the cell is contained in	equipment
Name	of the equipment (if the cett is contained in	equipmenty
Address		
Phone		
Email		
Website		
- V C C C I C C C C C C C C C C C C C C C		
3. Test laborat	ory of cell	
Name		
Address		
Phone		
Email		
Website		
4. ID-number	and date	
Unique test rep	ort identification number	Date of test report
DESCRIPTIO	N OF CELL	
5. Mark the ty	pe of cell with an "•"	
Lithium	ion cell	Lithium metal cell



LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name/Description	of cell	(taken from	n field 1)

6. Parameters	Cell			
Mass in gram (g):				
Lithium ion: Indicate watt-hour rating (Wh):				
Lithium metal: Indicate lithium metal content in gram (g):				
7. Physical description of cell				
8. Model numbers				

TESTS AND RESULTS

9. List of tests conducted and results - Mark N/A, pass or fail with an " "		pass	fail
T1 - Altitude simulation			
T2 - Thermal Test			
T3 - Vibration			
T4 - Shock			
T5 - External Short Circuit			
T6 - Impact - for cylindrical cells having a diameter of at least 18 mm			
T6 - Crush - for prismatic cells, pouch cells, button cells and cylindrical cells having a diameter of less than 18 mm			
T7 - Overcharge			
T8 - Forced Discharge			

10. Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto



LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name/Description of cell (taken from field 1)	

ADDITIONAL SUPPLIER INQUIRY

11. Quality management system for manufacturing cells Does the manufacturer of the cell/baltery manufacture the products based on a documented quality management system according to transport regulations?		YES	NO	
12. Are the following parameters exceeded? Lithium ion cell: more than 20 Wh Lithium metal cell: more than 1 g Lithium		YES	NO	
Check point 13 – 15 need to be answered when 12 has been ticked "YES":				
13. Does each cell incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?		YES	NO	
14. Is each cell equipped with an effective means of preventing external short circuits?		YES	NO	
15. Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse Not relevant for cells current flow (e.g. diodes, fuses, etc.)				
16. Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells and lithium polymer cells				
State of Charge (SoC) max. 30 %		YES	NO	

CELLS INSTALLED IN EQUIPMENT

17. Check point 17 needs to be answered when the cells are installed in articles:						
17.a) Only button cells enclosed?				YES	NO	
17.b) Number of enclosed cells (other than button cells) per equipment						
When the equipment is intentionally active/switched on during transport e.g. data loggers:						
17.c) Confirmation that no dangerous amount of heat is emitted from the equipment		N/A		YES	NO	
17.d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160 N/A YES				NO		

18. Place, Date	19. Title, Surname, First name	20. Company stamp and signature		

